





## PROGRESSIVE CAVITY PUMPS MH HYGIENIC series



The new MH series self-priming progressive cavity pumps are available in five sizes MH 55-65-80-100-125. All the wetted parts are made out of stainless steel AISI 316 polished with surface finishing of 0.8 micron; stator and all other gaskets can be of different materials. The renewed design makes these pumps without any dead spots and complying with all the applications with the highest hygienic requirements like food, pharmaceutical and cosmetics. The MH pumps are suitable to pump high viscosity media. Thanks to the delicate and constant flow and, on the biggest sizes, they are able to pump media with solid contents.




Numerous pumpable food products: creams, sauces, tomato concentrate, fruit purées, chocolate, pastry creams and batters, jams, ragout, yoghurt, melted cheese, beverages, concentrates, juices.




CIP self-draining flushing connection  
on the suction chamber



Tie rods without exposed threads



Eccentric outlet port without any dead spots



## TECHNICAL DATA

**Available in single stage, double stage and long pitch design.**

Flow rate up to 70 m<sup>3</sup>/h

Head values up to 12 bar

Temperature range: -20°C to +100°C (verify in according to the gasket type)

### Seals:

Bi-directional mechanical seal with design created to facilitate cleaning.

### Stator materials:

NBR black and white, EPDM (compliant with reg. (EC) No. 1935/2004 and FDA regulation)

FKM rubber Fluoroelastomer (FDA regulation).

### Seal materials:


NBR (compliant with reg. (EC) No. 1935/2004 and FDA regulation)

EPDM (compliant with reg. (EC) No. 1935/2004 and FDA regulation)

Fluorocarbon (FDA regulation)

### Connections:


Clamp DIN32676-C (std version), on request available DIN11851 - SMS - DIN11864




## DIAGRAMS

The diagrams shows the theoretical flow rates at 0 pressure.

### 1/2 lobe series



### Long pitch series



C.S.F. Inox S.p.A. Strada per Bibbiano, 7 - 42027 Montecchio E. (RE) - ITALY EU

Ph +39.0522.869911 r.a. - Fx +39.0522.865454 - italia@csf.it - www.csf.it

Export Department • Commercial Étranger • Comercial Extranjero

Ph +39.0522.869922 - Fx +39.0522.869841 - export@csf.it - www.csf.it



All the instructions, data and representations (in whatever way executed) listed in this publication are indicative and do not bind. C.S.F. does not stand surety or undertake any obligation for the utilisation of this document and for the information contained. In particular, it does not guarantee against omissions or errors of the data and drawings here indicated. Notice that the technical specifications, information and representations in this document are merely indicative and approximate. C.S.F. INOX reserves the right at any moment and without notice to modify the data, drawings and information indicated in this document.